

Varianten | Varianti | Variants

BV2


Landwirtschaft | Agricoltura | Agriculture

BV2




Fixer Heckanbau
Attacco fisso posteriore
Fix rear mounting

BV2-F









Fixer Frontanbau
Attacco frontale fisso
Fix front mounting

BV2-H



Hydraulische lineare
Seitenverschiebung
Spostamento idraulico
Hydraulic side shift



Mod.											
					Außenabmaße Ingombri esterne	A	B	C	D	E	Schnittbreiten Larghezza di lavoro
			HP	KG							
BV2 110-145	2	4	40 - 100	430	112	129	107	24	144	109	141
BV2 125-175	2	4	40 - 100	470	130	139	107	24	174	126	170
BV2 125-175 special	2	4	40 - 100	430	132	139	107	24	176	126	170
BV2 140-195	2	4	40 - 100	510	141	149	107	24	197	137	193
BV2 140-195 NEW	2	4	40 - 100	510	141	149	107	24	197	137	193
BV2 160-230	2	4	40 - 100	580	165	170	101	22	226	162	223
BV2 170-245 special	2	4	40 - 100	540	178	165	101	22	248	173	243
BV2 190-260	2	4	40 - 100	690	192	189	101	22	262	189	259
BV2 220-300	2	4	40 - 100	790	223	210	101	22	203	220	299
BV2 250-340	2	4	40 - 100	990	250	225	101	22	340	245	333
BV3-250-360	2	4	40 - 100	900	253	183	105	24	365	250	362



Varianten | Varianti | Variants

BV2-T

Landwirtschaft | Agricoltura | Agriculture

BV2-T

Fixer Heckanbau mit beidseitiger
FEINTASTAUTOMATIK

Attacco fisso posteriore con TASTATORE
IDRAULICO bilaterale

Fix rear mounting with HYD. PRECISION SENSOR



BV2-FT

Fixer Frontanbau mit beidseitiger
FEINTASTAUTOMATIK

Attacco frontale fisso con TASTATORE
IDRAULICO bilaterale

Fix front mounting with HYD. PRECISION SENSOR









BV2-HT

Hydraulische lineare
Seitenverschiebung mit
beidseitiger FEINTASTAUTOMATIK

Spostamento idraulico con TASTATORE
IDRAULICO bilaterale

Hydraulic side shift with HYD. PRECISION SENSOR



Mod.					 Außenabmaße Ingombri esterne					 Schnittbreiten Larghezza di lavoro	
					HP	KG	A	B	C	D	E
BV2 110-145	2	4	40 - 100	430	112	129	107	24	144	109	141
BV2 125-175	2	4	40 - 100	470	130	139	107	24	174	126	170
BV2 125-175 special	2	4	40 - 100	430	132	139	107	24	176	126	170
BV2 140-195	2	4	40 - 100	510	141	149	107	24	197	137	193
BV2 140-195 NEW	2	4	40 - 100	510	141	149	107	24	197	137	193
BV2 160-230	2	4	40 - 100	580	165	170	101	22	226	162	223
BV2 170-245 special	2	4	40 - 100	540	178	165	101	22	248	173	243
BV2 190-260	2	4	40 - 100	690	192	189	101	22	262	189	259
BV2 220-300	2	4	40 - 100	790	223	210	101	22	203	220	299
BV2 250-340	2	4	40 - 100	990	250	225	101	22	340	245	333
BV3-250-360	2	4	40 - 100	900	253	183	105	24	365	250	362

